



# LIDO ISLE YACHT CLUB

Latitude 33° 36' 34.5" N Longitude 117° 54' 50.8" W Established 1928

## Lido Isle Yacht Club COVID Information Fact Sheet for Parents and Participants

Dear Parents,


This information sheet shall be signed and returned by the sailor, and, if the sailor is 17 years of age or younger, shall also be signed by the sailor's parent or guardian, before the sailor initiates practice or competition.

The following fact sheets provide information to help protect your children or teens from contracting COVID-19. Please read carefully and review with your sailors to make sure they understand.

We are aware that wearing face coverings will be difficult for children but have determined that it is necessary. If your sailor has any underlying conditions, please consider this information and the advice of your doctor when deciding whether the program will be suitable.

Best,  
Brooke Sharp  
Sailing Director, LIYC  
sailingdirector@liyc.net

# What you should know about COVID-19 to protect yourself and others



## Know about COVID-19

- Coronavirus (COVID-19) is an illness caused by a virus that can spread from person to person.
- The virus that causes COVID-19 is a new coronavirus that has spread throughout the world.
- COVID-19 symptoms can range from mild (or no symptoms) to severe illness.



## Know how COVID-19 is spread

- You can become infected by coming into close contact (about 6 feet or two arm lengths) with a person who has COVID-19. COVID-19 is primarily spread from person to person.
- You can become infected from respiratory droplets when an infected person coughs, sneezes, or talks.
- You may also be able to get it by touching a surface or object that has the virus on it, and then by touching your mouth, nose, or eyes.



## Protect yourself and others from COVID-19

- There is currently no vaccine to protect against COVID-19. The best way to protect yourself is to avoid being exposed to the virus that causes COVID-19.
- Stay home as much as possible and avoid close contact with others.
- Wear a cloth face covering that covers your nose and mouth in public settings.
- Clean and disinfect frequently touched surfaces.
- Wash your hands often with soap and water for at least 20 seconds, or use an alcohol-based hand sanitizer that contains at least 60% alcohol.



## Practice social distancing

- Buy groceries and medicine, go to the doctor, and complete banking activities online when possible.
- If you must go in person, stay at least 6 feet away from others and disinfect items you must touch.
- Get deliveries and takeout, and limit in-person contact as much as possible.



## Prevent the spread of COVID-19 if you are sick

- Stay home if you are sick, except to get medical care.
- Avoid public transportation, ride-sharing, or taxis.
- Separate yourself from other people and pets in your home.
- There is no specific treatment for COVID-19, but you can seek medical care to help relieve your symptoms.
- If you need medical attention, call ahead.



## Know your risk for severe illness

- Everyone is at risk of getting COVID-19.
- Older adults and people of any age who have serious underlying medical conditions may be at higher risk for more severe illness.



# Stop the Spread of Germs

Help prevent the spread of respiratory diseases like COVID-19.



Stay at least 6 feet  
(about 2 arms' length)  
from other people.



Cover your cough or sneeze with a  
tissue, then throw the tissue in the  
trash and wash your hands.



When in public, wear a  
cloth face covering over  
your nose and mouth.



Do not touch your  
eyes, nose, and mouth.



Clean and disinfect  
frequently touched  
objects and surfaces.



Stay home when you are sick,  
except to get medical care.



Wash your hands often with soap  
and water for at least 20 seconds.



[cdc.gov/coronavirus](https://cdc.gov/coronavirus)

# Symptoms of Coronavirus (COVID-19)

Know the symptoms of COVID-19, which can include the following:



Symptoms can range from mild to severe illness, and appear 2-14 days after you are exposed to the virus that causes COVID-19.

**\*Seek medical care immediately if someone has emergency warning signs of COVID-19.**

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion
- Inability to wake or stay awake
- Bluish lips or face

This list is not all possible symptoms. Please call your medical provider for any other symptoms that are severe or concerning to you.



[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)

317142-A May 20, 2020 10:46 AM

# What You Can do if You are at Higher Risk of Severe Illness from COVID-19

## Are You at Higher Risk for Severe Illness?



Based on what we know now, those at high-risk for severe illness from COVID-19 are:

- People aged 65 years and older
- People who live in a nursing home or long-term care facility

People of all ages with underlying medical conditions, particularly if not well controlled, including:

- People with chronic lung disease or moderate to severe asthma
- People who have serious heart conditions
- People who are immunocompromised
  - Many conditions can cause a person to be immunocompromised, including cancer treatment, smoking, bone marrow or organ transplantation, immune deficiencies, poorly controlled HIV or AIDS, and prolonged use of corticosteroids and other immune weakening medications.
- People with severe obesity (body mass index [BMI] of 40 or higher)
- People with diabetes
- People with chronic kidney disease undergoing dialysis
- People with liver disease

## Here's What You Can do to Help Protect Yourself



**Stay home if possible.**



**Wash your hands often.**



**Avoid close contact and stay at least 6 feet (about 2 arms' length) from other people.**



**Clean and disinfect frequently touched surfaces.**



**Cover your mouth and nose with a cloth face cover when around others.**



**Cover coughs and sneezes.**

Call your healthcare provider if you are sick.

For more information on steps you can take to protect yourself, see CDC's webpage on [How to Protect Yourself](#)



136276A May 19, 2020 9:51 AM

[cdc.gov/coronavirus](https://cdc.gov/coronavirus)



# Share facts about COVID-19

Know the facts about coronavirus (COVID-19) and help stop the spread of rumors.

**FACT  
1**

**Diseases can make anyone sick regardless of their race or ethnicity.**

Fear and anxiety about COVID-19 can cause people to avoid or reject others even though they are not at risk for spreading the virus.

**FACT  
2**

**For most people, the immediate risk of becoming seriously ill from the virus that causes COVID-19 is thought to be low.**

Older adults and people of any age who have serious underlying medical conditions may be at higher risk for more serious complications from COVID-19.

**FACT  
3**

**Someone who has completed quarantine or has been released from isolation does not pose a risk of infection to other people.**

For up-to-date information, visit CDC's coronavirus disease 2019 web page.

**FACT  
4**

**There are simple things you can do to help keep yourself and others healthy.**

- Wash your hands often with soap and water for at least 20 seconds, especially after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- When in public, wear a cloth face covering that covers your mouth and nose.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.

**FACT  
5**

**You can help stop COVID-19 by knowing the signs and symptoms, which can include:**

- Fever
- Cough
- Shortness of breath

Seek medical attention immediately if you or someone you love has emergency warning signs, including:

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion or not able to be woken
- Bluish lips or face

This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.



CS1740194 04/14/2020

[cdc.gov/coronavirus](https://www.cdc.gov/coronavirus)

# Prevent the spread of COVID-19 if you are sick

Accessible version: <https://www.cdc.gov/coronavirus/2019-ncov/if-you-are-sick/steps-when-sick.html>

If you are sick with COVID-19 or think you might have COVID-19, follow the steps below to help protect other people in your home and community.

## Stay home except to get medical care.

- **Stay home.** Most people with COVID-19 have mild illness and are able to recover at home without medical care. Do not leave your home, except to get medical care. Do not visit public areas.
- **Take care of yourself.** Get rest and stay hydrated.
- **Get medical care when needed.** Call your doctor before you go to their office for care. But, if you have trouble breathing or other concerning symptoms, call 911 for immediate help.
- **Avoid public transportation, ride-sharing, or taxis.**



## Separate yourself from other people and pets in your home.

- **As much as possible, stay in a specific room and away from other people and pets in your home.** Also, you should use a separate bathroom, if available. If you need to be around other people or animals in or outside of the home, wear a cloth face covering.
  - See COVID-19 and Animals if you have questions about pets: <https://www.cdc.gov/coronavirus/2019-ncov/faq.html#COVID19animals>



## Monitor your symptoms.

- **Common symptoms of COVID-19 include fever and cough.** Trouble breathing is a more serious symptom that means you should get medical attention.
- **Follow care instructions from your healthcare provider and local health department.** Your local health authorities will give instructions on checking your symptoms and reporting information.



If you develop **emergency warning signs** for COVID-19 get **medical attention immediately.**

Emergency warning signs include\*:

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion or not able to be woken
- Bluish lips or face

\*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning to you.

**Call 911 if you have a medical emergency.** If you have a medical emergency and need to call 911, notify the operator that you have or think you might have, COVID-19. If possible, put on a facemask before medical help arrives.

## Call ahead before visiting your doctor.

- **Call ahead.** Many medical visits for routine care are being postponed or done by phone or telemedicine.
- **If you have a medical appointment that cannot be postponed, call your doctor's office.** This will help the office protect themselves and other patients.



## If you are sick, wear a cloth covering over your nose and mouth.

- **You should wear a cloth face covering over your nose and mouth** if you must be around other people or animals, including pets (even at home).
- **You don't need to wear the cloth face covering if you are alone.** If you can't put on a cloth face covering (because of trouble breathing for example), cover your coughs and sneezes in some other way. Try to stay at least 6 feet away from other people. This will help protect the people around you.



**Note:** During the COVID-19 pandemic, medical grade facemasks are reserved for healthcare workers and some first responders. You may need to make a cloth face covering using a scarf or bandana.



### Cover your coughs and sneezes.

- **Cover your mouth and nose** with a tissue when you cough or sneeze.
- **Throw used tissues** in a lined trash can.
- **Immediately wash your hands** with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



### Clean your hands often.

- **Wash your hands often** with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- **Use hand sanitizer** if soap and water are not available. Use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water are the best option**, especially if your hands are visibly dirty.
- **Avoid touching** your eyes, nose, and mouth with unwashed hands.



### Avoid sharing personal household items.

- **Do not share** dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.
- **Wash these items thoroughly after using them** with soap and water or put them in the dishwasher.



### Clean all "high-touch" surfaces everyday.

- **Clean and disinfect** high-touch surfaces in your "sick room" and bathroom. Let someone else clean and disinfect surfaces in common areas, but not your bedroom and bathroom.
- **If a caregiver or other person needs to clean and disinfect** a sick person's bedroom or bathroom, they should do so on an as-needed basis. The caregiver/other person should wear a mask and wait as long as possible after the sick person has used the bathroom.



High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.

- **Clean and disinfect areas that may have blood, stool, or body fluids on them.**

- **Use household cleaners and disinfectants.** Clean the area or item with soap and water or another detergent if it is dirty. Then use a household disinfectant.

- Be sure to follow the instructions on the label to ensure safe and effective use of the product. Many products recommend keeping the surface wet for several minutes to ensure germs are killed. Many also recommend precautions such as wearing gloves and making sure you have good ventilation during use of the product.
- Most EPA-registered household disinfectants should be effective.

### How to discontinue home isolation

- **People with COVID-19 who have stayed home (home isolated)** can stop home isolation under the following conditions:



- **If you will not have a test** to determine if you are still contagious, you can leave home after these three things have happened:
    - You have had no fever for at least 72 hours (that is three full days of no fever without the use of medicine that reduces fevers)
- AND
- other symptoms have improved (for example, when your cough or shortness of breath has improved)
- AND
- at least 10 days have passed since your symptoms first appeared.

- **If you will be tested** to determine if you are still contagious, you can leave home after these three things have happened:
    - You no longer have a fever (without the use of medicine that reduces fevers)
- AND
- other symptoms have improved (for example, when your cough or shortness of breath has improved)
- AND
- you received two negative tests in a row, 24 hours apart. Your doctor will follow CDC guidelines.

In all cases, follow the guidance of your healthcare provider and local health department. The decision to stop home isolation should be made in consultation with your healthcare provider and state and local health departments. Local decisions depend on local circumstances.




### **Additional Information:**

- COVID-19 can result in severe disease, including hospitalization, admission to an intensive care unit, and death, especially among older adults. Everyone can take actions, such as social distancing, to help slow the spread of COVID-19 and protect older adults from severe illness.<sup>1</sup>
- CDC is investigating reports of multisystem inflammatory syndrome in children (MIS-C) associated with COVID-19. Patients with MIS-C have presented with a persistent fever and a variety of signs and symptoms including multiorgan (e.g., cardiac, gastrointestinal, renal, hematologic, dermatologic, neurologic) involvement and elevated inflammatory markers. CDC is collaborating with domestic and international partners to better understand this new syndrome, including how common it is and its risk factors, and to begin tracking cases. For more information including a full case definition, visit the [CDC Health Alert Network](#).<sup>2</sup>

---

<sup>1</sup> <https://www.cdc.gov/mmwr/volumes/69/wr/mm6912e2.htm>

<sup>2</sup> <https://www.cdc.gov/coronavirus/2019-ncov/hcp/faq.html>



# LIDO ISLE YACHT CLUB

Latitude 33° 36' 34.5" N

Longitude 117° 54' 50.8" W

Established 1928

## Lido Isle Yacht Club COVID Information Fact Sheet

### **Lido Isle Yacht Club COVID-19 Policy:**

Any sailor/staff showing signs or symptoms characteristic with COVID-19 will be removed from participation/competition. If a sailor/staff who is 17 years of age or younger has been removed from the program due to suspected COVID-19, Lido Isle Yacht Club shall notify a parent or guardian of that sailor of the time and date of the suspicion, the symptoms observed, and any treatment provided to the sailor.

The sailor will not be allowed to return to the program until he/she has a full unconditional medical clearance from a licensed health provider or physician who is acting within the scope of his or her practice. The clearance must be on the physician's letterhead and include his/hers wet and/or original signature and display the address of the office location. It is important to note that conditional clearances will NOT be accepted.

If the licensed health care provider determines that the sailor has contracted COVID-19, the family shall notify LIYC and the sailor shall complete the quarantine procedures set forth by the CDC under the guidance of the licensed health care provider.

By signing and returning this form to Lido Isle Yacht Club, I acknowledge that I have reviewed the information contained within this document.

Sailor Full Name: \_\_\_\_\_

Sailor Signature: \_\_\_\_\_

Parent/Guardian Full Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_